

HIGH FLOW SYSTEMS

CE

The most advanced systems available. These fully-automatic, quiet units deliver water smoothly and consistently. **3 Year Warranty**

Name	Model # OEM/Aftermarket	Description	Voltage	Flow Rate	Amps (Max.)	Shut-Off Pressure
HIGH FLOW SYSTEM	4558-153-E75 4558-153-E75	12 VDC High Flow System AQUA KING™ II Supreme 5.0 GPM and PRO BLASTER™ II Ultimate 5.0 GPM, Manifold assembly and Mounting Board	12 VDC	10.0 GPM [37.8 LPM]	13/11	55 PSI [3.8 BAR]
HIGH FLOW SYSTEM	4558-163-E75 4558-163-E75	24 VDC High Flow System AQUA KING™ II Supreme 5.0 GPM and PRO BLASTER™ II Ultimate 5.0 GPM, Manifold assembly and Mounting Board	24 VDC	10.0 GPM [37.8 LPM]	7/6	55 PSI [3.8 BAR]



SLV PUMP

CE

This compact automatic demand pump offers durability and dependability making it ideal for low volume, intermittent duty applications. The SLV Pump self-primers up to 2.5 vertical feet while delivering 1.0 GPM. **1 Year Warranty**

Name	Model # OEM/Aftermarket	Description	Voltage	Dimensions	Flow Rate	Amps (Max.)	Shut-Off Pressure
SLV	105-003 105-013	Automatic Demand Pump	12 VDC	6.8" x 3.9" x 2.5" [170 x 100 x 60mm]	1.0 GPM [3.8 LPM]	2.5	30 PSI [2.0 BAR]



WASHDOWN pumps

BLASTER™ II WASHDOWN PUMPS

CE

SHURFLO's BLASTER™ II Washdown Pump design was created with a unique over-molded single-piece diaphragm, assuring long life and top performance in all marine washdown applications. The BLASTER™ II washdown automatic demand pumps are thermally protected and can run dry without damage. Sealed switch. Ignition protected. Fittings and nozzle included (aftermarket models only). **2 Year Warranty**

Name	Model # OEM/Aftermarket	Voltage	Dimension	Flow Rate	Amps (Max.)	Shut-Off Pressure
BLASTER™ II	4238-121-A07 4238-121-E07	12 VDC	9" x 4.9" x 4.1" [229 x 124 x 104mm]	3.5 GPM [13.2 LPM]	7.5	45 PSI [3.1 BAR]
BLASTER™ II	4238-141-A07 4238-141-E07	24 VDC	9" x 4.9" x 4.1" [229 x 124 x 104mm]	3.5 GPM [13.2 LPM]	3.5	45 PSI [3.1 BAR]



WASHDOWN

pumps

CE BLASTER™ II WASHDOWN KIT

SHURFLO's BLASTER™ II Washdown Kit includes everything you need for washdown applications in fish box, scaling, anchor chain cleaning and blasting down the grimeiest decks all in one convenient package. The kit includes the BLASTER™ II 3.5 GPM pump, BLASTER™ II nozzle, strainer, fittings and a UV protected 25' coiled hose. **2 Year Warranty**

*Coiled hose also available separately.

Name	Model # OEM/Aftermarket	Description	Dimension	Voltage	Flow Rate	Amps (Max.)	Shut-Off Pressure
BLASTER™ II WASHDOWN KIT 3.5 GPM	4338-121-A07 4338-121-E07	BLASTER™ II 3.5 Pump, Fittings, Nozzle, Strainer, 25' 3/8" coiled hose	9" x 4.9" x 4.1" [229 x 124 x 104mm]	12 VDC	3.5 GPM [13.2 LPM]	7.5	45 PSI [3.1 BAR]



CE PRO BLASTER™ II WASHDOWN PUMPS

SHURFLO's PRO BLASTER™ II Washdown Pumps deliver superior performance that customers have come to expect and rely upon. Whether it's blasting away the grime on your deck, fish box scaling or anchor chain cleaning, SHURFLO's PRO BLASTER™ II Washdown Pumps deliver high performance that provide a powerful consistent spray pattern. Built to withstand the tough marine environment with electro-coated motor, o-ring seals and fully sealed wire entries. Sealed switch, Ignition protected. Thermally protected. Inlet strainer, fittings and nozzle included [aftermarket models only]. **2 Year Warranty**



Name	Model # OEM/Aftermarket	Voltage	Dimension	Flow Rate	Amps (Max.)	Shut-Off Pressure
PRO BLASTER™ II Deluxe 4.0 (A)	4248-153-A09 4248-153-E09	12 VDC	10" x 5" x 4.75" [254 x 127 x 120mm]	4.0 GPM [15.1 LPM]	10	60 PSI [4.1 BAR]
PRO BLASTER™ II Deluxe 4.0 (A)	4248-163-A09 4248-163-E09	24 VDC	10" x 5" x 4.75" [254 x 127 x 120mm]	4.0 GPM [15.1 LPM]	5	60 PSI [4.1 BAR]
PRO BLASTER™ II Ultimate 5.0 (B)	4258-153-A09 4258-153-E09	12 VDC	10" x 5" x 4.75" [254 x 127 x 120mm]	5.0 GPM [18.9 LPM]	14	60 PSI [4.1 BAR]
PRO BLASTER™ II Ultimate 5.0 (B)	4258-163-A09 4258-163-E09	24 VDC	10" x 5" x 4.75" [254 x 127 x 120mm]	5.0 GPM [18.9 LPM]	7	60 PSI [4.1 BAR]

PRO WASHDOWN KIT II

CE

SHURFLO's PRO WASHDOWN KIT II is available in both Deluxe 4.0 and Ultimate 5.0 series. These kits include everything you need for those tough washdown applications in fish box, scaling, anchor chain cleaning and blasting down the grimmest decks all in one kit! The kits include a washdown pump (Deluxe 4.0 or Ultimate 5.0), Fittings, Nozzle, Raw Water Strainer and a 25' coiled hose.

2 Year Warranty *Coiled hose also available separately.

Name	Model # OEM/Aftermarket	Description	Dimension	Voltage	Flow Rate	Amps (Max.)	Shut-Off Pressure
PRO WASHDOWN KIT II Deluxe 4.0 (A)	4348-153-A09 4348-153-E09	PRO BLASTER™ II Deluxe, 4.0 Pump, Fittings, Nozzle, Raw Water Strainer, 25' 3/8" coiled hose	10" x 5" x 4.75" [254 x 127 x 120mm]	12 VDC	4.0 GPM [15.1 LPM]	10	60 PSI [4.1 BAR]
PRO WASHDOWN KIT II Ultimate 5.0	4358-153-A09 4358-153-E09	PRO BLASTER™ II Ultimate, 5.0 Pump, Fittings, Nozzle, Raw Water Strainer, 25' 1/2" coiled hose	10" x 5" x 4.75" [254 x 127 x 120mm]	12 VDC	5.0 GPM [18.9 LPM]	14	60 PSI [4.1 BAR]



RAW WATER STRAINERS

CE

SHURFLO's family of Raw Water Strainers are built to keep your bait tank, livewell and washdown pumps protected from harmful debris. The Raw Water Strainer features a clear twist off bowl and removable stainless steel screen, which allows for easy inspection and cleaning. An integral o-ring creates a tight seal, eliminating possible leaks. **1 Year Warranty**

Name	Model # OEM/Aftermarket	Description
1/2" Strainer (A) with fittings	253-120-00 253-120-01	50 Mesh Screen. Protects Pumps from Harmful Debris, High Capacity, Rugged Nylon Housing with Clear Twist Off Polyamide Bowl and Easy to Clean Slide Out Screen
1/2" Strainer with bracket & fittings	253-121-01 253-121-01	50 Mesh Screen. Protects Pumps from Harmful Debris, High Capacity, Rugged Nylon Housing with Clear Twist Off Polyamide Bowl and Easy to Clean Slide Out Screen
3/4" Strainer	253-220-00 253-220-01	50 Mesh Screen. Protects Pumps from Harmful Debris, High Capacity, Rugged Nylon Housing with Clear Twist Off Polyamide Bowl and Easy to Clean Slide Out Screen
3/4" Strainer with bracket & fittings	253-221-01 253-221-01	50 Mesh Screen. Protects Pumps from Harmful Debris, High Capacity, Rugged Nylon Housing with Clear Twist Off Polyamide Bowl and Easy to Clean Slide Out Screen
1" Strainer (B)	253-320-00 253-320-01	50 Mesh Screen. Protects Pumps from Harmful Debris, High Capacity, Rugged Nylon Housing with Clear Twist Off Polyamide Bowl and Easy to Clean Slide Out Screen
1" Strainer with bracket & fittings	253-321-01 253-321-01	50 Mesh Screen. Protects Pumps from Harmful Debris, High Capacity, Rugged Nylon Housing with Clear Twist Off Polyamide Bowl and Easy to Clean Slide Out Screen
1-1/4" Strainer	253-400-00 253-400-01	20 Mesh Screen. Protects Pumps from Harmful Debris, High Capacity, Rugged Nylon Housing with Clear Twist Off Polyamide Bowl and Easy to Clean Slide Out Screen
1-1/4" Strainer with bracket & fittings	253-401-01 253-401-01	20 Mesh Screen. Protects Pumps from Harmful Debris, High Capacity, Rugged Nylon Housing with Clear Twist Off Polyamide Bowl and Easy to Clean Slide Out Screen

