

Fluorescent Lamps




Transistorised Fluorescent Tube Lamps

Modern, attractive and power saving fluorescent lights for a variety of interior applications. The combination of advanced electronics and efficient compact fluorescent tubes ensures lower power consumption than incandescent lamps for the same light output.

Further benefits include:

- Flicker free noiseless operation
- Homogeneous spread of light
- Vibration and shock resistance
- Reliable ignition even at extremely low temperatures
- Prevention of early blackening of the fluorescent tube
- Reverse polarity protection
- ON / OFF switch integrated into housing
- Interference suppressed to VDE 0879

Housing Description	Impact resistant plastic
Light Source	TL8 Fluorescent tube included
Installation	6.3mm flat-plug connectors



Fluorescent Tube Interior Lamps

Voltage / Wattage	Length	Part Number
12V / 7W	255mm	2642
24V / 7W	255mm	2642-24V

Light output comparison

Compact 7W fluorescent tube produces light output equivalent to a 40W incandescent bulb.

7W Tube (2G7)



Fluorescent Tube Interior Lamps

Voltage / Wattage	Length	Part Number
12V / 11W	355mm	2643
24V / 11W	355mm	2643-24V

Light output comparison

Compact 11W fluorescent tube produces light output equivalent to a 75W incandescent bulb.

11W Tube (2G7)



Fluorescent Tube Interior Lamps

Voltage / Wattage	Length	Part Number
12V / 8W	440mm	2644
24V / 8W	440mm	2644-24V

Light output comparison


Compact 8W fluorescent tube produces light output equivalent to a 40W incandescent bulb.

8W Tube (TL8W)

Chart Reading Lamps

4532 Series

Adjustable lamps for navigation areas.
An ON/OFF switch is integrated into the lamp head.
A red lens is included for optional 'non glaring' night illumination.



Housing Description	Plastic
Bulb	12V / 6W BA9s included
Installation	Pre-wired with 100mm of cable
Maximum Output	6W




12V / 6W Bulb
(HL126X)

4532 Series Halogen Interior Lamps

Voltage	Arm Length	Part Number
12V	296mm	2633
12V	600mm	2636

4532 Series

Compact and functional mini halogen spot lamps for navigation areas, berths and applications where adjustable light is required.
A red lens is included for optional 'non glaring' night illumination.
An ON/OFF switch is integrated into the lamp head.
Vertical and horizontal joint for rotating and pivoting.



Housing Description	Plastic
Bulb	12V / 6W BA9s included
Installation	Pre-wired with 100mm of cable
Maximum Output	5W




12V / 6W Bulb
(HL126X)

4532 Series Incandescent Interior Lamps

Voltage	Housing Colour	Part Number
12V	Black Housing	2637
12V	White Housing	2637W

4192 Series

Ideal berth or chart reading lamps. Shutter tilts to switch lamp ON and OFF.
Adjustable light opening.



Housing Description	Plastic
Bulb	10W SV8,5 (Not included)
Installation	2 flat plug connectors 6.3mm
Maximum Output	10W



4192 Series Incandescent Interior Lamps

Voltage	Housing Colour	Lens Colour	Part Number	
12V	White Housing	Clear	2JA 004 192-071	12V / 5W Bulb (L125)
12V	Black Housing	Clear	2JA 004 192-001	24V / 5W Bulb (L245)
12V	White Housing	Red	2JA 004 192-081	
12V	Black Housing	Red	2JA 004 192-041	


General Interior / Exterior Lamps



8508 Series

Water resistant recess mount halogen lamps suitable for interior or exterior installations. The reflector uses a 10W bulb. Bulbs up to 20W can also be used. Supplied with a silicon seal to prevent the glass lens from vibrating. Spring clip mounting.

Material Description	Solid brass housing Stainless steel cover ring
Bulb	12V / 10W Halogen G4 included
Degree of Protection	IP 65
Installation	Pre-wired with 150mm of cable
Maximum Output	20W



8508 Series Halogen Interior / Exterior Lamps

Voltage	Housing Colour	Part Number
12V	Chrome Housing	2JA 998 508-001
12V	White Housing	2791


12V / 10W Bulb
(YM1210)
24V / 10W Bulb
(YM2410)

8513 Series

Water resistant marine lamps made from tough polycarbonate with a foam rubber gasket. Suitable for interior or exterior installations. Mounting screws included. Integrated ON / OFF switch.



Housing Description	Impact resistant polycarbonate
Bulb	12V / 10W SV8.5 included
Installation	Pre-wired with 70mm of cable
Maximum Output	15W



8513 Series Halogen Interior / Exterior Lamps

Voltage	Housing Colour	Part Number
12V	White Housing	2610M
12V	White Housing with Switch	2617M

12V / 10W Bulb
(K1210)
24V / 10W Bulb
(K2410)

Spare Part
Clear Lens
2.9800.08